

ICE VISION	DAIL	Descratition
-	-	-

-	DESIGNER	PROJ. NO.	
	DRAWN	DATE	

SURVEYED DJ&A. P.C



	SH	EET
Mary Jane Boulevard Typical Roadway Sections	B.1	В.11









REVISION	DATE	DESCRIPTION
-	-	-

DESIGNER	PROJ. NO.
DRAWN	DATE
CHECKED -	SURVEYED D

SURVEYED DI&A. P.(



SCALE IN FEET PLOT SIZE

Mary Jane Boulevard Typical Roadway Sections

SHEET		
с	[⊮]	
В.5	B.11	







REVISION	DATE	DESCRIPTION
-	-	-

-11	DESIGNER	R	PROJ. NO.	-
11	DRAWN		DATE	_

SURVEYED DJ&A, P.





	SHEET	
mer Drive Typical Roadway Sections	B.8 B.11	





REVISION	DATE	DESCRIPTION
-	-	-

11	DESIGNE	~	PROJ. NO.	-
11	DRAWN		DATE	_

SURVEYED DJ&A. P.C.



VARIES, 4H: IV VARIES, 4H: IV	MIN, 3H:1 MAX			
		0	1	2

SCALE IN FEET (PLOT SIZE = 11" x 17")

	SH	EET
Trail Typical Sections	د B.10	_F B.11



	UL IV	
	44.1.	
ridor		
		_ ►
	Note: Average of 9" depth of	
Corridor	Topsoil assumed to be stripped within construction Limits of all	
	Roadway/Trail Corridors, actual topsoil stripping depth to be field	
	venned	
· · · · · · · · · · · · · · · · · · ·		
	4H:1V	
		<i>₹И.</i> ,
age of 9" depth of umed to be stripped		
rail Corridors, actual		
oping depth to be field		
und, ed		
		SHEET
General Earthwo	rk Details	OF
-		B.11B.11